

NEMA DESIGNATED LABORATORIES

	Laboratory	Function	Parameter	Authorized Signatory
1.	SGS Kenya Limited P.O Box 72118-00200 Nairobi Tel:020 2733693 Fax:020 2733664 Email:sgsinquiries-kenya@sgs.com Location: SGS House Shimazi Mombasa	Assessment/ analysis of: • Air emission • Water • Effluent • Soil	• Physical • Chemical; • Microbial	• Environmental Service Manager • Environmental Inspector • Laboratory Manager
2.	University of Nairobi Department of Civil Engineering Public Health Engineering Laboratories P.O Box 30197-00100,Nairobi Tel:020 318262 Ext 28394 Fax:020 245962 Email:dept-civilengineering Location: University of Nairobi-Main Campus	Assessment /analysis of: • Air emission • Water • Effluent • Soil	• Physical • Chemical	• Chairman of Department
3.	University of Nairobi Chemistry Department-Pesticide Research Laboratory P.O Box 99376-00100,Nairobi Tel:020 4446138 Location: University of Nairobi Chiromo Campus, Riverside Drive	• Assessment/ analysis of: • Water • Effluent • Soil	• Pesticides • Hydrocarbons • PCBs	• Head of Pesticide Research Laboratory • Lecturer Pesticide Research Laboratory • Assistant Lecturer Pesticide Research Laboratory
4.	Kenya Bureau of Standards (KEBS) Mombasa Laboratory P.O BOX 99376-80100 Tel:041 42317050-5 Fax: 041 422448 Email:kebs-mombasa@kebs.org Location: Ambalal House Mombasa	Assessment/ analysis of: • Water • Effluent	• Microbiology	• Regional Manager • Head of Testing Services
5.	Kenya Bureau of Standards (KEBS) P.O BOX 54974-00200,NAIROBI Tel:+254 020 605490, 605506 Fax:+254 020 609660 Email:info@kebs.org	Assessment/ analysis of: • Water • Effluent	• Physical • Chemical • Microbial • Pesticides	• Chief Principal Laboratory Analyst (Head of Chemistry) • Principal Laboratory Analyst (Deputy

	Location: KEBS Centre Popo Road, South C, Nairobi			Head of Chemistry) • Laboratory Analyst II
6.	Mines and Geological Department, Chemistry Laboratory P.O Box 30009-00100,Nairobi Tel:020 558034 Fax:020 554366 Email:cmg@bidii.com Location: Machakos Road, Industrial Area Nairobi	Assessment/analysis of: • Water • Effluent • Soil	• Physical • Chemical	• Senior Principal • Chemist Senior • Chief Chemist
7.	Jomo Kenyatta University of Agriculture and Technology (JKUAT) Environmental Engineering Laboratory P.O Box 62000,Nairobi Tel:067 52711 Location: Thika Road, Juja	Assessment/analysis of: • Water • Effluent • Soils • Sludge	• Physical • Chemical • Microbial • Petroleum	• Senior Lecturer-Environmental Engineering Laboratories
8.	Quest Laboratories Limited P.O Box 3097-00506,Nairobi Tel:020 551988/7 Fax:020 554636 Location: Baricho Road, Industrial Area,Nairobi	Assessment/analysis of: • Water • Effluent • Soil	• Physical • Chemical • Microbial	• Technical Manager • Laboratory Manager
9.	Nairobi City Water and Sewerage Company Limited Kabete Central Laboratory P.O Box 30656-00100,Nairobi Tel:020 4181321,020-4184140 Fax:214780 Email:gmwsd@intersurf.com Location: Waiyaki Way, Opposite Kianda School	Assessment/analysis of: • Water • Effluent	• Physical • Chemical • Microbial	• Assurance Manager • Quality Assurance Coordinator
10.	University of Nairobi Department of Land Resource Management and Agricultural Technology P.O Box 29053-0625 Nairobi Tel:020 631225 Fax:020 631253 Email: larmat@gmail.uoni.ac.ke Location: University of Nairobi, Upper Kabete Campus	Assessment/analysis of: • Soil • Water • Plant material	• Physical • Chemical	• Chairman of Department • Chief Technologist • Senior Technologist • Technologist
11.	Water Resources Management Authority Nakuru Laboratories	Assessment / analysis of:	• Physical • Chemical	• Head of Laboratory

	P.O Box 15543,Nakuru Location: Opposite KFA	• Water	• Microbiology	• Deputy Head of Laboratory
12.	Lake Victoria North Catchment Area Water Laboratory P.o box 774-50100,Kakamega Tel:056-39826 Fax:056-30826 Email:wrmalvc@wananchonline.com Location: Kakamega,off Kakamega-Kisumu road	• Assessment / analysis of: • Water	• Physical • Chemical	• Regional Manager-Lake Victoria North catchment area • Regional Technical Manager • Ground Water Officer • Water Quality Officer
13.	Kenya Industrial Research and Development Institute (KIRDI) Laboratories P.O BOX 30650-00100,NAIROBI Tel:020 535966 Fax:020 555738 Email: dir@kirdi.go.ke Location: Ndungu Road, Industrial area, Nairobi	Assessment/analysis of: • Water • Effluent • Soil	• Physical • Chemical • Microbial	• Technical Manager of Laboratories • Quality Manager of Laboratories • Deputy Technical Manager of Laboratories
14.	Kenya Agricultural Research Institute National Agricultural Research Laboratories P.O Box 14733-00800,Nairobi Tel:020 4444144/4444251 Fax:020 4443926 Email: ed@iconnect.co.ke Location: Waiyaki Way Kabete, Nairobi	Assessment /analysis of: • Irrigation water • Soil	• Physical • Nutrients	• Soil Chemist • Analytical Chemist
15.	KARI Analytical Chemistry Laboratory Embu P.O Box 27 Tel:068 31116 Fax:068 30343 Email:kariembu@sipha.co.ke/kariembu@yahoo.com Location: Embu,off Embu-Meru road	Assessment/analysis of: • Water • Soil	• Physical • Chemical	• Director KARI Research Center • Deputy Director Research Center • Research officer Research Center • Laboratory Technologist I • Analytical Chemistry Laboratory
16.	Kenya Plant Health Inspectorate Services (KEPHIS)	Assessment/analysis of: • Water	• Physical • Chemical • Microbial	• Deputy Head Technical Manager

	P.O BOX 49592,Nairobi Tel:882933 Fax:882265 Email:director@kephis.org Location: Karen Ololua Ridge, Nairobi	• Effluent • Soils • Animal tissue • Plant tissue		
17.	University of Nairobi Department of Food Science, Nutrition and Technology Food Technology and Nutrition Laboratories P.O Box 29053-00625 Tel:020 3592734/5 Fax: dftn@uonbi.ac.ke Location: Upper Kabete Campus	Assessment/ analysis of: • Raw and Fresh material;(foods) • Water	• Physical • Chemical • Microbial	• Deputy Head Technical Manager
18.	Water Resources Management Authority Central Water Testing Laboratories P.O Box 45250-00100, Nairobi Tel:020-2344159 Location: National Water Conservation & Corporation Premises Industrial Area, Nairobi	Assessment / analysis of: • Water • Effluent	• Physical • Chemical • Microbial	• Assistant Technical coordination Manager
19.	Government Chemist Department P.O Box 20753-00200,Nairobi Tel:020 2725873/4 Fax:020 2717567 Location:KNH,Nairobi	Assessment / analysis of: • Water • Effluent • Soils • Animal tissue • Plant tissue	• Physical • Chemical • Microbial • Toxicology	• Government Chemistry Head, Water and Environment Section • Deputy Head, Water and Environment Section • Senior Chemist
20.	Government Chemist Department Kisumu Laboratory P.o Box 200640100 Tel:057 2021985 Fax:057 2021985 Location: Paul Mboya Street	Assessment/analy sis of: • Water • Effluent • Soil	• Physical • Chemical • Pesticides	• Senior Government Analyst
21.	Ergerton University, Chemistry Department P.O Box 536 Njoro Tel:051 62481 Location: Njoro-Mau Narok Road	Assessment/ analysis of: • Water • Effluent • Water sediments • Soil	• Physical • Chemical • Pesticides	• Head of Laboratory • Deputy Head of Laboratory

		Plant material		
22.	Jomo Kenyatta University of Agriculture and Technology (JKUAT) Chemistry Laboratories P.O Box 62000-00200,Nairobi Tel:067 52223 Fax:067 52164 Email: users@jkuat.ac.ke Location: Nairobi-Thika Road, Juja	Assessment/analysis of: - Water - Effluent - Soil	- Physical - Chemical	- Chairman of Department - Associate Professor Chemistry Laboratory - Chief Technician
23.	University of Nairobi Department of Public Health, Pharmacology and Toxicology Laboratories P.O Box 29053-00626,Nairobi Tel:020 3592734 Ext 29079 Fax:020 631325 Email:dept-publichealth@uonbi.ac.ke Location: Upper Kabete Campus	Assessment/analysis of ; - Plant material - Water	Microbiology	- Chairman of Department - Head of Section (Public Health) - Head of Section (Pharmacology & Toxicology) - Principal Technologists
24.	Universal Corporation limited P.O. Box 1748-00902 Kikuyu Tel. 066-31459/32305/31758 Fax 066-31461 Location: Kikuyu Town Opp. Past Post Office Email: ucl.co.ke	Assessment / analysis of: - Water - Effluent	- Physical - Chemical - Microbiology	- Quality Assurance Manager/ Pharmacist - Quality Control Manager
25.	Polucon Services (Kenya) Ltd P.O Box 99344-80100 Mombasa. Tel. 041-4470777/3/4, 2003672 Fax 041-2490539 Email: laboratory@polucon.com Location: Nyali Road off Links Road Nyali Mombasa	Assessment / analysis of: - Water - Effluent - Noise - Air	- Physical - Chemical - Microbiology	- Managing Director - Laboratory Manager - Head of Environmental Department - Assistant Laboratory Manager
26.	Directorate of Occupational Safety & Health Services (DOSHS) Ministry of labour & Human Res. Dev. P.O.Box 34120-00100 Nairobi Tel. 550825/9663 Email:doshdept@yahoo.com	Assessment/analysis of: Noise	- Noise Level - Air Quality	- Senior Medical Officer - Principal Safety & Occupational Health Officer - Assistant Director - Laboratory Technologist

	Location: Commercial Street, Industrial Area Nairobi			
27.	Quality Assurance Systems Ltd P.O Box 56871-00200 Nairobi. Tel. 020- 2049892/2034681 Fax 020 2049892 Email: info@quas-limited.com Location: Qas Plaza Mombasa Rd Nairobi	Assessment/ analysis of: • Noise • Air	• Noise Level • Air Quality	• Managing Director • Quality Manager • Deputy Quality Manager • Head of Laboratory
28.	Catholic Diocese of Nakuru Water Programme Laboratory P.O Box 938,Nakuru Tel. 051 2216264/5 Fax. 021-2214151 Location: Nakuru-Nairobi Highway	Assessment/ analysis of; • Water • Effluent	• Physical • Chemical • Microbiology	• Quality Control Supervisor • Laboratory Supervisor
29.	University of Nairobi Institute of Nuclear Science and Technology, P.O Box 30197 -00100, Nairobi Tel. 020-318262 Ext 28483 Fax 020-245566 E-mail: inst@uonbi.ac.ke Location; Main Campus Harry Thuku Road Nairobi	Assessment/ analysis of; • Water • Effluent • Soil • Air	• Physical • Chemical • Microbiology	• Director • Lecturer
30.	Crop Nutrition Laboratory Services Ltd P.O Box 66437-00800 Nairobi Tel. 020 2044735/3561192 Fax: 020 2044735 Email: healthy- soils@cropnuts.com Location: Coopers Centre, Kaptagat Road, Off Kangemi flyover ,Waiyaki Way, Loresho Nairobi	Assessment/ analysis of; • Soil • Plant Material • Water	• Physical • Chemical • Microbiology	• Managing Director • General Manager • Laboratory Manager
31.	Nakuru Water and Sewerage Company Ltd Water Quality Testing Laboratory P. Box 16314-20100 Nakuru Tel. 051-2212269/214148 Fax: 051-2213532 E-mail: nawassco@wananchi.com	Assessment/ analysis of; • Potable Water • Effluent • Sludge	• Physical • Chemical • Microbiology	• Managing Director • Technical Manager • Laboratory Officer in Charge • Quality Control Officer

	Location: Lake Nakuru National Park			
32.	Saosa Tea Factory Laboratory James Finlay (Kenya) Limited P.O Box 160-20200 Kericho Tel. 052-21403 Fax: 052-21018 E-mail: ftsklab@finlay.co.ke Location: Finlay inlet Road, Kericho	Assessment/ analysis of; • Water • Effluent	- Physical - Chemical - Microbiology	- General Manager - Quality System Manager - Quality Controller
33.	Intertek Testing Services (EA) PTY Ltd P.O. Box 611-80100 Mombasa Tel. 041-2224645/2224693 Fax: 041-2228251/2222862 E-mail: ops.cbe-mombasa@intertek.com Location: David Kayanda Road, Kizingo Mombasa.	Assessment/ analysis of; • Water • Effluent	- Physical - Chemical - Microbiology	- Laboratory Manager - Laboratory Supervisor - Laboratory Technician
34.	Analabs Ltd P.O. Box 162-00625 Nairobi Tel. 020- 3517832 Fax: 020-4182855 E-mail: admin@analabs.co.ke Location: Coopers Centre, Kaptagat Road, Loresho Nairobi	Assessment/ analysis of; • Water • Effluent	- Physical - Chemical - Microbiology - Aflatoxins.	- Managing Director - Technical Manager & Head of Laboratories. - Technical Manager - Deputy Technical Manager
35.	Eldoret Water and Sanitation Company Ltd P.O. Box 8418-30100 Eldoret Tel. 053-2063403/2061915 Fax: 053-2063556 E- mail: info@eldowas.org Location: Kambi Somali Road Eldoret.	Assessment/ analysis of; • Water • Waste Water	- Physical - Chemical - Microbiology	- Managing Director - Quality Assurance Manager - Head of Technical Services
36.	Aquatech Industries Ltd P.O. BOX 18573-00500 Nairobi. Tel. 2729405/2719186 Fax: 2719186 E-mail: aquatech@aquatech-industries.com Location: Abcon House, Masaba Road.	Assessment/ analysis of; •Water •Effluent	- Physical - Chemical - Microbiology	- Technical Manager - Laboratory Manager - Analyst

37.	Ivory Consult Ltd PJ Place, Enterprise Road, Industrial Area. P.O BOX 76604-0508 Nairobi Tel. +254 (20)550631, 550622, 0721763851, 0738550684 Fax. +254 (20)550930 E-mail: laboratory@ivoryconsult.com Location: PJ Place, Enterprise Road, Industrial Area.	Assessment/ analysis of; •Water •Effluent	• Physical • Chemical • Microbiology	• Managing Director • Operating Director
38.	Ecoserv Consultants Lab P.O Box 1303-00100 Blessed House, Thika Road Nairobi. Tel: 0722882879 Email: gachanja@ecoservkenya.com Location: Blessed House, Thika Road	Assessment/ analysis of; • Water • Effluent • Air	• Physical • Chemical • Microbiology	• Managing Director • Analyst
39.	GMP Services Limited. PGC Complex P.O BOX 39769-00623 Nairobi Tel. +254 202316848 E-mail: info@gmpaccl.com Website: www.gmpaccl.com Location: Mukhtech Building, Lusaka Road off Dunga Round About, Nairobi.	Assessment/ analysis of; •Water •Effluent	• Physical • Chemical • Microbiology	• Technical Manager • Quality Assurance Manager • Laboratory Heads
40.	Bureau Veritas Laboratory P.O Box 41622-80100 Mombasa <u>Tel:+254(41)314463/314022</u> Fax +254 (41)226015 Email: <u>Itld.mombasa@bureauveritus.com</u> Location: Moi Avenue, Mombasa	Assessment/ Analysis of • Water • Effluent	• Physical • Chemical • Microbiology	• Branch Manager, • Laboratory Manager • Laboratory Analyst.
41.	Precision Experts Limited Laboratory P.O Box 42806 -80100 Mombasa Tel+254729170640 Email: <u>info@precisionexpert.co.ke</u>	Assessment/ Analysis • Water • Effluent	• Physical • Chemical • Microbiology	• Laboratory Manager • Laboratory Head

	Location: Shimanzi Road, Mombasa			
42.	Lake Victoria South Water Service Board P.O Box 3325-40100 Kisumu Tel: +254(0)57- <u>2025128, +254(0)716525251</u> +254(00202157233, Fax: +254(0)572025127 Email: <u>info@lvswaterboard.go.ke</u> Location: Lavictors House, Millimani, Kisumu	Assessment/ Analysis of • Water • Effluent	• Physical • Chemical • Microbiology	• Laboratory Head • Deputy Head
43.	Spectralab Analytical Services Ltd P.O Box 50208-00200 Nairobi Tel: 020651177, 0775602222 Mobile: 0774088111 Email: <u>info@Spectralab.Co.Ke</u> Location: Mezzanine Floor, 53-Credit Bank Building, Butere Road, Nairobi.	Assessment/ Analysis • Water • Effluent • Sludge • Soil • Plant material • Food • petroleum	• Physical • Chemical • Microbiology • Pesticides • Hydrocarbons	• Laboratory head • Technical manager • Senior chemist
44.	Aqualytic Laboratories Ltd P.O Box 4600-056 Nairobi Tel: 0722547344, 020-5249675 Email: <u>lab@aqualyticlab.com</u> Location: Baba Dogo, off Winsford Park, Nairobi	Assessment/ Analysis of • Water	• Physical • Chemical • Microbiology	• Quality Manager • Technical Manager • Senior Laboratory Technologist
45.	Inorganic Laboratory Gas Measurement Section KEBS P.O Box 54974-00200 Nairobi Tel: 254206005490, 6005506 Mobile: 0722202137/8, 07346004 171/2 Email: <u>info@kebs.org</u> Location: Nairobi	Assessment/ Analysis of • Air	• Ambient Air Analysis	• Chief Principal Laboratory analyst (Head of Chemistry) • Principal Laboratory Analyst (Deputy Head of Chemistry) • Laboratory Analyst II
46.	Angie Aqua Solutions Ltd P.O Box 20999-00200 Nairobi Tel: 0700220727, 0796177342	Assessment/ Analysis of • Water	• Physical • Chemical • Microbiology	• Laboratory head

	Email:angieaquasdolution@gmail.com Location: Fair Bank Arcade, Maimahiu Road	• Effluent		• Laboratory analyst
47.	Lab Works (Ea) Ltd P.O Box 47846-00100 Nairobi Tel: 0726209641,0202724481 Email: info@labworksea.com Longonot Road, Upper hill. Location: Nairobi	Assessment/ Analysis of • Water • Effluent • Air • Soil • Noise	• Physical • Chemical • Microbiology • Noise levels	• Laboratory Manager • Technical Manager • Senior Field Supervisor
48.	CSI International Ltd P. O Box 47846-00100 Nairobi Tel:0705204610,0725692535 Email: info@csinternationalke.co.ke Howse & McGeorge Centre, Factory St, Building No. 10, Industrial Area, Off Bunyala Road, Behind KEMSA. Location: Nairobi	Assessment /analysis of • Water • Effluent • Air	• Physical • Chemical • Microbiology	• Head of laboratory • Laboratory manager • Quality assurance manager
49.	Masinde Muliro University of Science & Technology (MMUST) P.O Box 190-50100, Kakamega Tel:0718282462,0702597361 , 056-30871. FAX: 056-302153 Email: info@mmust.ac.ke Location: Kakamega	Assessment/ Analysis of • Water • Effluent • Soil	• Physical • Chemical • Microbiology	• Laboratory Head • (Chairman of Department)
50.	Aquatreat Solutions Ltd P.O Box 26559-00100 Nairobi Tel;+,0202317314/81 Mobile: 0724083450,0722202189 Email: info@aquatreat.co.ke Location: Nairobi	Assessment/ Analysis of • Drinking Water	• Physical • Chemical • Microbiology	• Quality Manager • Analyst
51.	EUROLAB Services Ltd P.O Box 5050-00200 Nairobi Tel: 0722241766, 0752435126 Email: info@eurolabLtd.com Location: Utawala, Nairobi	Assessment/ Analysis of • Air • Noise	• Air Quality • Noise Level	• Deputy Head/ Technical Manager • Inspector • Director
52.	Associated Battery Manufactures Ltd. P.O Box 47846-00100 Nairobi	Assessment/ Analysis of • Air	• Ambient Air Analysis	• Process Coordinator

	Tel: 0722206887,0206531218-25 Email: batman@abm.co.ke Location: Athi River, Machakos.			• Technical Signatory
53.	Instrumentation Engineers (E.A) Ltd P.O. BOX 18986-00500, Unit No. 6 31, Enterprise Road, Nairobi. Tel. +254-20-2108606, Mobile: +254722357991 Email: info@instrumentation-engineers.com	Assessment/ Analysis of • Air	• Measurement of Gaseous pollutants	• Managing Director • Head of Laboratory
54.	Nyeri Water and Sewerage Company Limited P.O. BOX 1520-10100, Nyeri Tel. 061-2034548/4623/4622, Mobile: 0722461359/0734732481 Email: info@nyewasco.co.ke	Assessment/ Analysis of • Water • Effluent	• Physical • Chemical • Microbiology	• Laboratory Head • Deputy Head of Laboratory
55.	Kenya Pipeline Company Limited-Analytical Laboratory P.O Box 73442-00200 Nairobi Tel;+254-20-2606500-4 Mobile: 0722245835 Email: Qcm@kpc.co.ke Nanyuki Road, Industrial Area	Assessment/ Analysis of • Drinking Water • Effluent • Soil	• Physical • Chemical	• Quality Control Manager • Chief Quality Control Officer, • Senior Chemist
56.	Quest Laboratories Limited P.O Box 3097-00506,Nairobi Tel:020 551988/7 Fax:020 554636 Location: Baricho Road, Industrial Area Nairobi	Assessment/ Analysis of • Air	• Air Quality	• Technical Manager • Laboratory Manager
57.	Ecoscience and Engineering Limited Mitsumi Business Park, 11th Floor, Westlands P.O Box 55533-00200,Nairobi Tel: +2540202000582, 0713566825, Email: info@ecoscience.co.ke md.ecoscience.co.ke Location: Nairobi	Assessment/ Analysis of • Air	• Ambient Air Quality. • Isokinetic Stack Particulate Matter. • Indoor Air Quality.	• Management Consultant /Laboratory Head • Technical Manager • Laboratory Technician
58.	Achelab Laboratory Services Limited Mirage Plaza, 3rd Floor, Mombasa Rd	Assessment/ Analysis of • Water • Effluent	• Physical • Chemical • Microbiology	• Laboratory Manager • Quality Manager

	P.O Box 59614-00200 Nairobi Mobile: 071663382,07681961/6 Email: info@achelablaboratoryservices.co.ke Location: Nairobi			Laboratory Analyst
59.	Viva Healthcare Limited Rapid Kate Complex, Mombasa Rd, P.O Box 56591-00200 Nairobi Tel: 0706121212, 0704263068 Email: info@vivahealthcare.org Location: Nairobi	Assessment/ Analysis of Water	- Physical - Chemical - Microbiology	- Quality Assurance Manager/Quality Control Manager - QC Analyst /Microbiologist
60.	Quality Plus Laboratory and Consultancy Services 1 st Floor GW Cargo, off Mombasa Road, Behind Liberty Plaza P.O Box 473-00202Nairobi Tel: 07222801996,0202673415 Email: info@qplus.co.ke fatma.abdulrehman@gmail.com Location: Nairobi.	Assessment/ Analysis of - Water - Effluent	Microbiology	- Laboratory Manager - Quality Control Manager - Laboratory Technologist
61.	Airmet Services Limited Mountain Mall 3 rd Floor Office Suite D8, Thika Road Exit 7 P.O. BOX 56159-00200, Nairobi. Mobile: 0720312257/0723462537/0713433314 Email: airmet.services@gmail.com Location: Kiambu	Assessment/ Analysis of - Air Quality - Noise levels	- Stationary Source Emissions. - Ambient Air Quality.	- Laboratory Head - Deputy Head of Laboratory
62.	TechBio Testing Laboratory Twiga Plaza, Eastern Bypass opposite AP, Utawala P.O Box 2093-00606, Nairobi Mobile: 0726124106,0722842878 Email: info@techbio.co.ke Location: Nairobi	Assessment/ Analysis of - Water & Effluent analysis. - Soil analysis. - Noise	- Physical - Chemical - Microbiology	- Laboratory Head - Quality Control Analyst. - Microbiologist
63.	Ecofix Consultancy Limited Information (KBC) Building P.O Box 1376-30200 Kitale.	Assessment/ Analysis of	- Gases - Particulate Matter	Quality Control Manager

	Tel;+254020785300 Mobile: 0711850057,0790334886 Email: ecofixconsultancy@gmail.com Location: Kitale	• Air Quality • Noise levels		•
64.	Aeroscan Labs Limited Maisha Heights 1st floor along Kenyatta Highway P. O .Box 6857-01000, THIKA. Tel: 0721203898, 0722813175 Email: aeroscanlabs@gmail.com Location: Thika	Assessment/ Analysis of: • Air Quality • Noise levels	• Particulate matter • Gases • Ambient Air	• Technical manager • Quality control manager
65.	Nexton Limited Gemuwa Hse, Rm 37, Buruburu Phase 2, P. O .Box 8987-00200, NAIROBI. Tel: 0727913614, 0756858618 Email:nexton@nexton-ehs.com\ Location: Nairobi	Assessment/ Analysis of: • Noise • Air Quality	• Particulate Matter • Gases • Noise levels	• Managing Director • Laboratory Technician
66.	Norken Solutions Limited Muhuri road, Dagoretti, P. O .Box 9882-00100, NAIROBI. Tel: +254202248762,+2542249067 Mobile:0722797410,073339857 2 Email: info@norken.co.ke Location: Nairobi	Assessment/ Analysis of: • Air Quality	• Particulate matter • Gases • Ambient Air	• Assistant Technical manager • Senior Emission Technician • Emissions Technicians
67.	Green Sense International Cassia Court-Block A3, Kiambere Rd Off Upper Hill Road. P.O Box 102987-00101, NAIROBI Tel: +254727329524 Email: info@greensenseint.com	Assessment/ Analysis of: • Noise • Air Quality	• Particulate Matter. • Ambient Air Quality	• Director • Director Technical Services
68.	Tatu City Water and Sanitation Company Laboratory Off Ruiru-Kiambu Road, P.O Box 2739-00621, NAIROBI Tel: +254205131000/ +254777888999	Assessment/ Analysis of •Water Quality	• Physical • Chemical • Microbiology	• Field Service Manager/ Technical Manager • Field Laboratory Analyst

	Email: info@tatuconnect.com Location: Kiambu			
69.	Mazingira Limited Visions Plaza 1st Floor suite 21 along Mombasa Road, P.O Box 1674-00100, NAIROBI Tel: +254205100359/0722366165 Email: info@mazingiralimited.co.ke Location: Nairobi	Assessment/ Analysis of: • Air Quality • Noise levels	• Particulate Matter • Gases • Noise levels	• Managing Consultant • Operations Director • Technical Manager
70.	Kenya Bureau of Standards (KEBS)- Lake Region P.O. BOX 2949-40100, Kisumu Tel: +254(057)2029549 / 28724 / 5672328103 / 0572056000 Email: kebs-kisumu@kebs.org Location: Kisumu	Assessment/ analysis of: • Water • Effluent • Soil	• Physical • Chemical • Microbial	• Laboratory Head • Deputy Head of Laboratory
71.	Kenya Bureau of Standards (KEBS)- North Rift P.O. Box 8111 – 30100,Eldoret Tel: +254 (053) 203 3151/0 Email: kebs-eldoret@kebs.org Location: Eldoret	Assessment/ analysis of: • Water • Effluent • Soil	• Physical • Chemical • Microbial	• Laboratory Head • Deputy Head of Laboratory