



DESIGNATED LABORATORIES BY GAZETTE NOTICE

	Laboratory	Function	Parameter	Authorized Signatory
1.	SGS Kenya Limited P.O Box 72118-00200 Nairobi Tel:020 2733693 Fax:020 2733664 Email:sgsinquiries-kenya@sgs.com Location: SGS House Shimazi Mombasa	Assessment/ analysis of: <ul style="list-style-type: none"> • Air emission • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical; • Microbial 	<ul style="list-style-type: none"> • Environmental Service Manager • Environmental Inspector • Laboratory Manager
2.	University of Nairobi Department of Civil Engineering Public Health Engineering Laboratories P.O Box 30197-00100, Nairobi Tel:020 318262 Ext 28394 Fax:020 245962 Email:dept-civilengineering Location: University of Nairobi-Main Campus	Assessment /Analysis of: <ul style="list-style-type: none"> • Air emission • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Chairman of Department
3.	University of Nairobi Chemistry Department- Pesticide Research Laboratory P.O Box 99376-00100,Nairobi Tel:020 4446138 Location: University of Nairobi Chiromo Campus, Riverside Drive	<ul style="list-style-type: none"> • Assessment/ analysis of: • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Pesticides • Hydrocarbons • PCBs 	<ul style="list-style-type: none"> • Head of Pesticide Research Laboratory • Lecturer Pesticide Research Laboratory • Assistant Lecturer Pesticide Research Laboratory

4.	Kenya Bureau of Standards (KEBS) Mombasa Laboratory P.O BOX 99376-80100 Tel:041 42317050-5 Fax: 041 422448 Email:kebs-mombasa@kebs.org Location: Ambalal House Mombasa	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Microbiology 	<ul style="list-style-type: none"> • Regional Manager • Head of Testing Services
5.	Kenya Bureau of Standards (KEBS) P.O BOX 54974-00200, NAIROBI Tel: +254 020 605490, 605506 Fax: +254 020 609660 Email:info@kebs.org Location: KEBS Centre Popo Road, South C, Nairobi	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial • Pesticides 	<ul style="list-style-type: none"> • Chief Principal Laboratory Analyst (Head of Chemistry) • Principal Laboratory Analyst (Deputy Head of Chemistry) • Laboratory Analyst II
6.	Mines and Geological Department, Chemistry Laboratory P.O Box 30009-00100, Nairobi Tel:020 558034 Fax:020 554366 Email:cmg@bidii.com Location: Machakos Road, Industrial Area Nairobi	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Senior Principal • Chemist Senior • Chief Chemist
7.	Jomo Kenyatta University of Agriculture and Technology (JKUAT) Environmental Engineering Laboratory P.O Box 62000,Nairobi Tel:067 52711 Location: Thika Road, Juja	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent • Soils • Sludge 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial • Petroleum 	<ul style="list-style-type: none"> • Senior Lecturer-Environmental Engineering Laboratories
8.	Nairobi City Water and Sewerage Company Limited Kabete Central Laboratory P.O Box 30656-00100,Nairobi Tel:020 4181321,020-4184140 Fax:214780 Email:gmwsd@intersurf.com Location: Waiyaki Way, Opposite Kianda School	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Assurance Manager • Quality Assurance Coordinator
9.	University of Nairobi Department of Land Resource Management and Agricultural Technology	Assessment/analysis of: <ul style="list-style-type: none"> • Soil • Water 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Chairman of Department • Chief Technologist

	P.O Box 29053-0625 Nairobi Tel:020 631225 Fax:020 631253 Email: larmat@gmail.uoni.ac.ke Location: University of Nairobi, Upper Kabete Campus	<ul style="list-style-type: none"> Plant material 		<ul style="list-style-type: none"> Senior Technologist Technologist
10.	Water Resources Management Authority Nakuru Laboratories P.O Box 15543,Nakuru Location: Opposite KFA	Assessment / analysis of: <ul style="list-style-type: none"> Water 	<ul style="list-style-type: none"> Physical Chemical Microbiology 	<ul style="list-style-type: none"> Head of Laboratory Deputy Head of Laboratory
11.	Lake Victoria North Catchment Area Water Laboratory P.O Box 774-50100, Kakamega Tel:056-39826 Fax:056-30826 Email:wrmalvc@wananchonline.com Location: Kakamega, off Kakamega-Kisumu Road	<ul style="list-style-type: none"> Assessment / analysis of: Water 	<ul style="list-style-type: none"> Physical Chemical 	<ul style="list-style-type: none"> Regional Manager-Lake Victoria North catchment area Regional Technical Manager Ground Water Officer Water Quality Officer
12.	Kenya Industrial Research and Development Institute (KIRDI) Laboratories P.O BOX 30650-00100,NAIROBI Tel:020 535966 Fax:020 555738 Email: dir@kirdi.go.ke Location: Ndungu Road, Industrial area, Nairobi	Assessment/ analysis of: <ul style="list-style-type: none"> Water Effluent Soil 	<ul style="list-style-type: none"> Physical Chemical Microbial 	<ul style="list-style-type: none"> Technical Manager of Laboratories Quality Manager of Laboratories Deputy Technical Manager of Laboratories
13.	Kenya Agricultural Research Institute National Agricultural Research Laboratories P.O Box 14733-00800, Nairobi Tel:020 4444144/4444251 Fax:020 4443926 Email: ed@iconnect.co.ke Location: Waiyaki Way Kabete, Nairobi	Assessment /Analysis of: <ul style="list-style-type: none"> Irrigation water Soil 	<ul style="list-style-type: none"> Physical Nutrients 	<ul style="list-style-type: none"> Soil Chemist Analytical Chemist
14.	KARI Analytical Chemistry Laboratory Embu P.O Box 27 Tel:068 31116 Fax:068 30343 Email:kariembu@sipha.co.ke/kariembu@yahoo.com Location: Embu,off Embu-Meru road	Assessment/ analysis of: <ul style="list-style-type: none"> Water Soil 	<ul style="list-style-type: none"> Physical Chemical 	<ul style="list-style-type: none"> Director KARI Research Center Deputy Director Research Center Research officer

				<p>Research Center</p> <ul style="list-style-type: none"> • Laboratory Technologist I • Analytical Chemistry Laboratory
15.	<p>Kenya Plant Health Inspectorate Services (KEPHIS) P.O BOX 49592, Nairobi Tel:882933 Fax:882265 Email:director@kephis.org Location: Karen Ololua Ridge, Nairobi</p>	<p>Assessment/analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent • Soils • Animal tissue • Plant tissue 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Deputy Head Technical Manager
16.	<p>University of Nairobi Department of Food Science, Nutrition and Technology Food Technology and Nutrition Laboratories P.O Box 29053-00625 Tel:020 3592734/5 Fax: dftn@uonbi.ac.ke Location: Upper Kabete Campus</p>	<p>Assessment/analysis of:</p> <ul style="list-style-type: none"> • Raw and Fresh material;(foods) • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Deputy Head Technical Manager
17.	<p>Water Resources Management Authority Central Water Testing Laboratories P.O Box 45250-00100, Nairobi Tel:020-2344159 Location: National Water Conservation & Corporation Premises Industrial Area, Nairobi</p>	<p>Assessment / analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Assistant Technical coordination Manager
18.	<p>Government Chemist Department P.O Box 20753-00200, Nairobi Tel:020 2725873/4 Fax:020 2717567 Location:KNH,Nairobi</p>	<p>Assessment / analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent • Soils • Animal tissue • Plant tissue 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial • Toxicology 	<ul style="list-style-type: none"> • Government Chemistry Head, Water and Environment Section • Deputy Head, Water and Environment Section • Senior Chemist
19.	<p>Government Chemist Department Kisumu Laboratory P.o Box 200640100</p>	<p>Assessment/analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Pesticides 	<ul style="list-style-type: none"> • Senior Government Analyst

	Tel:057 2021985 Fax:057 2021985 Location: Paul Mboya Street	<ul style="list-style-type: none"> • Soil 		
20.	Ergerton University, Chemistry Department P.O Box 536 Njoro Tel:051 62481 Location: Njoro-Mau Narok Road	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent • Water sediments • Soil • Plant material 	<ul style="list-style-type: none"> • Physical • Chemical • Pesticides 	<ul style="list-style-type: none"> • Head of Laboratory • Deputy Head of Laboratory
21.	Jomo Kenyatta University of Agriculture and Technology (JKUAT) Chemistry Laboratories P.O Box 62000-00200, Nairobi Tel:067 52223 Fax:067 52164 Email: users@jkuat.ac.ke Location: Nairobi-Thika Road, Juja	Assessment/analysis of: <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Chairman of Department • Associate Professor Chemistry Laboratory • Chief Technician
22.	University of Nairobi Department of Public Health, Pharmacology and Toxicology Laboratories P.O Box 29053-00626, Nairobi Tel:020 3592734 Ext 29079 Fax:020 631325 Email:dept-publichealth@uonbi.ac.ke Location: Upper Kabete Campus	Assessment/analysis of ; <ul style="list-style-type: none"> • Plant material • Water 	<ul style="list-style-type: none"> • Microbiology 	<ul style="list-style-type: none"> • Chairman of Department • Head of Section (Public Health) • Head of Section (Pharmacology & Toxicology) • Principal Technologists
23.	Universal Corporation limited P.O. Box 1748-00902 Kikuyu Tel. 066-31459/32305/31758 Fax 066-31461 Location: Kikuyu Town Opp. Past Post Office Email: ucl.co.ke	Assessment / analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Assurance Manager/ Pharmacist • Quality Control Manager
24.	Polucon Services (Kenya) Ltd P.O Box 99344-80100 Mombasa. Tel. 041-4470777/3/4, 2003672 Fax 041-2490539 Email: laboratory@polucon.com Location: Nyali Road off Links Road Nyali Mombasa	Assessment / analysis of: <ul style="list-style-type: none"> • Water • Effluent • Noise • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Laboratory Manager • Head of Environmental Department • Assistant Laboratory Manager

25.	<p>Directorate of Occupational Safety & Health Services (DOSHS) Ministry of labour & Human Res. Dev. P.O.Box 34120-00100 Nairobi Tel. 550825/9663 Email:doshdept@yahoo.com Location: Commercial Street, Industrial Area Nairobi</p>	<p>Assessment/analysis of:</p> <ul style="list-style-type: none"> • Noise 	<ul style="list-style-type: none"> • Noise Level • Air Quality 	<ul style="list-style-type: none"> • Senior Medical Officer • Principal Safety & Occupational Health Officer • Assistant Director • Laboratory Technologist
26.	<p>Catholic Diocese of Nakuru Water Programme Laboratory P.O Box 938,Nakuru Tel. 051 2216264/5 Fax. 021-2214151 Location: Nakuru-Nairobi Highway</p>	<p>Assessment/analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Control Supervisor • Laboratory Supervisor
27.	<p>University of Nairobi Institute of Nuclear Science and Technology, P.O Box 30197 -00100, Nairobi Tel. 020-318262 Ext 28483 Fax 020-245566 E-mail: inst@uonbi.ac.ke Location; Main Campus Harry Thuku Road Nairobi</p>	<p>Assessment/analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent • Soil • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Director • Lecturer
28.	<p>Crop Nutrition Laboratory Services Ltd P.O Box 66437-00800 Nairobi Tel.0711094444 Email:support@cropnuts.com Location: off Limuru Road, Limuru Town</p>	<p>Assessment/analysis of;</p> <ul style="list-style-type: none"> • Soil • Plant Material • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Laboratory Manager
29.	<p>Nakuru Water and Sewerage Company Ltd Water Quality Testing Laboratory P. Box 16314-20100 Nakuru Tel. 051-2212269/214148 Fax: 051-2213532 E-mail: nawassco@wananchi.com Location: Lake Nakuru National Park</p>	<p>Assessment/analysis of;</p> <ul style="list-style-type: none"> • Potable Water • Effluent • Sludge 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Technical Manager • Laboratory Officer in Charge • Quality Control Officer
30.	<p>Saosa Tea Factory Laboratory James Finlay (Kenya) Limited P.O Box 160-20200 Kericho Tel. 052-21403</p>	<p>Assessment/analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • General Manager • Quality System Manager

	<p>Fax: 052-21018 E-mail: ftsklab@finlay.co.ke Location: Finlay inlet Road, Kericho</p>			<ul style="list-style-type: none"> • Quality Controller
31.	<p>Intertek Testing Services (EA) PTY Ltd P.O. Box 611-80100 Mombasa Tel. 041-2224645/2224693 Fax: 041-2228251/222862 E-mail: ops.cbe-mombasa@intertek.com Location: David Kayanda Road, Kizingo Mombasa.</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent • air quality • noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • stack emission particulate matter and gas • ambient 	<ul style="list-style-type: none"> • Laboratory Manager • Laboratory Supervisor • Laboratory Technician
32.	<p>Analabs Ltd P.O. Box 162-00625 Nairobi Tel. 020- 3517832 Fax: 020-4182855 E-mail: admin@analabs.co.ke Location: Coopers Centre, Kaptagat Road, Loresho Nairobi</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Aflatoxins. 	<ul style="list-style-type: none"> • Managing Director • Technical Manager & Head of Laboratories. • Technical Manager • Deputy Technical Manager
33.	<p>Eldoret Water and Sanitation Company Ltd P.O. Box 8418-30100 Eldoret Tel. 053-2063403/2061915 Fax: 053-2063556 E- mail: info@eldowas.org Location: Kambi Somali Road Eldoret.</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> • Water • Waste Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Quality Assurance Manager • Head of Technical Services
34.	<p>Aquatech Industries Ltd P.O. BOX 18573-00500 Nairobi. Tel. 2729405/2719186 Fax: 2719186 E-mail: aquatech@aquatech-industries.com Location: Abcon House, Masaba Road.</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Laboratory Manager • Analyst
35.	<p>Ivory Consult Ltd PJ Place, Enterprise Road, Industrial Area. P.O BOX 76604-0508 Nairobi Tel. +254 (20)550631, 550622, 0721763851, 0738550684</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Operating Director

	<p>Fax. +254 (20)550930 E-mail: laboratory@ivoryconsult.com Location: PJ Place, Enterprise Road, Industrial Area.</p>			
36.	<p>Ecoserv Consultants Lab P.O Box 1303-00100 Blessed House, Thika Road Nairobi. Tel: 0722882879 Email: gachanja@ecoservkenya.com Location: Blessed House, Thika Road</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Analyst
37.	<p>GMP Services Limited. PGC Complex P.O BOX 39769-00623 Nairobi Tel. +254 202316848 E-mail: info@gmpaccl.com Website: www.gmpaccl.com Location: Mukhtech Building, Lusaka Road off Dunga Round About, Nairobi.</p>	<p>Assessment/ analysis of;</p> <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Quality Assurance Manager • Laboratory Heads
38.	<p>Bureau Veritas Laboratory P.O Box 41622-80100 Mombasa Tel:+254(41)314463/314022 Fax +254 (41)226015 Email: Itd.mombasa@bureauveritus.com Location: Moi Avenue, Mombasa</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Branch Manager, • Laboratory Manager • Laboratory Analyst.
39.	<p>Lake Victoria South Water Service Board P.O Box 3325-40100 Kisumu Tel:+254(0)57- 2025128,+254(0)716525251 +254(00202157233, Fax:+254(0)572025127 Email: info@lvswaterboard.go.ke Location: Lavictors House, Millimani, Kisumu</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head
40.	<p>Spectralab Analytical Services Ltd P.O Box 50208-00200 Nairobi Tel:020651177,0775602222 Mobile:0774088111</p>	<p>Assessment/ Analysis</p> <ul style="list-style-type: none"> • Water • Effluent • Sludge 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Pesticides 	<ul style="list-style-type: none"> • Laboratory head • Technical manager

	Email: info@Spectralab.co.ke Location: Mezzanine Floor, 53-Credit Bank Building, Butere Road, Nairobi.	<ul style="list-style-type: none"> • Soil • Plant material • Food • petroleum 	<ul style="list-style-type: none"> • Hydrocarbons 	<ul style="list-style-type: none"> • Senior chemist
41.	Aqualytic Laboratories Ltd P.O Box 4600-056 Nairobi Tel:0722547344,020-5249675 Email: lab@aqualyticlab.com Location: Ramco Court, Mombasa Road	Assessment/ Analysis of <ul style="list-style-type: none"> • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Technologist
42.	Inorganic Laboratory Gas Measurement Section KEBS P.O Box 54974-00200 Nairobi Tel;254206005490,6005506 Mobile:0722202137/8,0734600 4171/2 Email: info@kebs.org Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Ambient Air Analysis 	<ul style="list-style-type: none"> • Chief Principal Laboratory analyst (Head of Chemistry) • Principal Laboratory Analyst(Deputy Head of Chemistry) • Laboratory Analyst II
43.	Lab Works (Ea) Ltd P.O Box 47846-00100 Nairobi Tel: 0726209641,0202724481 Email: info@labworksea.com Longonot Road, Upper hill. Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent • Air • Soil • Noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Noise levels 	<ul style="list-style-type: none"> • Laboratory Manager • Technical Manager • Senior Field Supervisor
44.	Masinde Muliro University of Science & Technology (MMUST) P.O Box 190-50100, Kakamega Tel:0718282462,0702597361 , 056-30871. FAX: 056-302153 Email: info@mmust.ac.ke Location: Kakamega	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • (Chairman of Department)
45.	Aquatreat Solutions Ltd P.O Box 26559-00100 Nairobi Tel;+,0202317314/81	Assessment/ Analysis of <ul style="list-style-type: none"> • Drinking Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Manager • Analyst

	<p>Mobile: 0724083450,0722202189 Email: info@aquatreat.co.ke Location: Nairobi</p>			
46.	<p>EUROLAB Services Ltd P.O Box 5050-00200 Nairobi Tel: 0722241766, 0752435126 Email: info@eurolabLtd.com Location: Utawala, Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air • Noise 	<ul style="list-style-type: none"> • Air Quality • Noise Level 	<ul style="list-style-type: none"> • Deputy Head/ Technical Manager • Inspector • Director
47.	<p>Associated Battery Manufactures Ltd. P.O Box 47846-00100 Nairobi Tel: 0722206887,0206531218-25 Email: batman@abm.co.ke Location: Athi River, Machakos.</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Ambient Air Analysis 	<ul style="list-style-type: none"> • Process Coordinator • Technical Signatory
48.	<p>Instrumentation Engineers (E.A) Ltd P.O. BOX 18986-00500, Unit No. 6 31, Enterprise Road, Nairobi. Tel. +254-20-2108606, Mobile: +254722357991 Email: info@instrumentation-engineers.com</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air • Noise 	<ul style="list-style-type: none"> • Measurement of Gaseous pollutants • stack Emission (Pm) • Ambient Air quality • noise levels 	<ul style="list-style-type: none"> • Managing Director • Head of Laboratory
49.	<p>Nyeri Water and Sewarage Company Limited P.O. BOX 1520-10100, Nyeri Tel. 061-2034548/4623/4622, Mobile: 0722461359/0734732481 Email: info@nyewasco.co.ke</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head of Laboratory
50.	<p>Kenya Pipeline Company Limited-Analytical Laboratory P.O Box 73442-00200 Nairobi Tel;+254-20-2606500-4 Mobile: 0722245835 Email: Qcm@kpc.co.ke Nanyuki Road, Industrial Area</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Drinking Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Quality Control Manager • Chief Quality Control Officer, • Senior Chemist
51.	<p>Ecoscience and Engineering Limited Mitsumi Business Park, 11th Floor, Westlands P.O Box 55533-00200,Nairobi Tel: +2540202000582,0713566825,</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air • noise 	<ul style="list-style-type: none"> • Ambient Air Quality. • Stack emission (pm) • Noise level 	<ul style="list-style-type: none"> • Managem ent Consultant /Laboratory Head

	<p>Email: info@ecoscience.co.ke md.ecoscience.co.ke Location: Nairobi</p>		<ul style="list-style-type: none"> • Indoor Air Quality. 	<ul style="list-style-type: none"> • Technical Manager • Laboratory Technician
52.	<p>Achelab Laboratory Services Limited Mirage Plaza, 3rd Floor, Mombasa Rd P.O Box 59614-00200 Nairobi Mobile: 071663382,07681961/6 Email: info@achelablaboratoryservices.co.ke Location: Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Manager • Quality Manger • Laboratory Analyst
53.	<p>Viva Healthcare Limited Rapid Kate Complex, Mombasa Rd, P.O Box 56591-00200 Nairobi Tel: 0706121212, 0704263068 Email:info@vivahealthcare.org Location: Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Assurance Manager/Quality Control Manager • QC Analyst /Microbiologist
54.	<p>Quality Plus Laboratory and Consultancy Services 1st Floor GW Cargo, off Mombasa Road, Behind Liberty Plaza P.O Box 473-00202Nairobi Tel: 07222801996,0202673415 Email: info@qplus.co.ke fatma.abdulrehman@gmail.com Location: Nairobi.</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Microbiology 	<ul style="list-style-type: none"> • Laboratory Manager • Quality Control Manager • Laboratory Technologist
55.	<p>Airmet Services Limited 1st Floor St. Peter's ACK Office Park, Lower Kabete Road P.O. BOX 06-00614, Wangige, Kiambu Mobile: 0723462537/0713433314 Email: airmet.services@gmail.com</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air Quality • Noise levels 	<ul style="list-style-type: none"> • Stationary Source Emissions. • Ambient Air Quality. 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head of Laboratory

	Location: Kiambu			
56.	TechBio Testing Laboratory Twiga Plaza, Eastern Bypass opposite AP, Utawala P.O Box 2093-00606, Nairobi Mobile: 0726124106,0722842878 Email: info@techbio.co.ke Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Water & Effluent analysis. • Soil analysis. • Noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Quality Control Analyst. • Microbiologist
57.	Ecofix Consultancy Limited Information (KBC) Building P.O Box 1376-30200 Kitale. Tel;+254020785300 Mobile: 0711850057,0790334886 Email: ecofixconsultancy@gmail.com Location: Kitale	Assessment/ Analysis of <ul style="list-style-type: none"> • Air Quality • Noise levels 	<ul style="list-style-type: none"> • Gases • Particulate Matter 	<ul style="list-style-type: none"> • Quality Control Manager •
58.	Aeroscan Labs Limited Maisha Heights 1 st floor along Kenyatta Highway P. O .Box 6857-01000, THIKA. Tel: 0721203898, 0722813175 Email: aeroscanlabs@gmail.com Location: Thika	Assessment/ Analysis of: <ul style="list-style-type: none"> • Air Quality • Noise levels 	<ul style="list-style-type: none"> • Particulate matter • Gases • Ambient Air 	<ul style="list-style-type: none"> • Technical manager • Quality control manager
59.	Nexton Limited Gemuwa Hse, Rm 37, Buruburu Phase 2, P. O .Box 8987-00200, NAIROBI. Tel: 0727913614, 0756858618 Email:nexton@nexton-ehs.com\ Location: Nairobi	Assessment/ Analysis of: <ul style="list-style-type: none"> • Noise • Air Quality 	<ul style="list-style-type: none"> • Particulate Matter • Gases • Noise levels 	<ul style="list-style-type: none"> • Managing Director • Laboratory Technician
60.	Norken Solutions Limited Muhuri road, Dagoretti, P. O .Box 9882-00100, NAIROBI. Tel: +254202248762,+2542249067 Mobile:0722797410,0733398572 Email: info@norken.co.ke Location: Nairobi	Assessment/ Analysis of: <ul style="list-style-type: none"> • Air Quality 	<ul style="list-style-type: none"> • Particulate matter • Gases • Ambient Air 	<ul style="list-style-type: none"> • Assistant Technical manager • Senior Emission Technician • Emissions Technicians

61.	Green Sense International Cassia Court-Block A3, Kiambere Rd Off Upper Hill Road. P.O Box 102987-00101, NAIROBI Tel: +254727329524 Email: info@greensenseint.com	Assessment/ Analysis of: <ul style="list-style-type: none"> • Noise • Air Quality 	<ul style="list-style-type: none"> • Particulate Matter. • Ambient Air Quality 	<ul style="list-style-type: none"> • Director • Director Technical Services
62.	Kenya Bureau of Standards (KEBS)- Lake Region P.O. BOX 2949-40100, Kisumu Tel: +254(057)2029549 / 28724 / 5672328103 / 0572056000 Email: kebs-kisumu@kebs.org	Assessment/ analysis of: <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head of Laboratory
63.	Kenya Bureau of Standards (KEBS)- North Rift P.O. Box 8111 – 30100,Eldoret Tel: +254 (053) 203 3151/0 Email: kebs-eldoret@kebs.org	Assessment/ analysis of: <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head of Laboratory
64.	Frinconsult Limited Laboratory Frin Plaza,Old Murang'a Road, Opposite KARLO, Thika P. O Box 235-01000 THIKA.	Assessment/ analysis of: <ul style="list-style-type: none"> • Air Quality • Noise Level Measurements 	<ul style="list-style-type: none"> • Stack emissions • Indoor Air quality • Noise Level 	<ul style="list-style-type: none"> • Managing Director • Deputy Managing Directorf
65.	Tatu City Water and Sanitation Laboratory Tatu House, off Ruiru-Kiambu Road, P.O Box 2739-00621, Nairobi Tel: 0777888999,+254701188356 Email: support@tatuconnect.com info@tatuwasco.com	Assessment/ analysis of: <ul style="list-style-type: none"> • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Field Service Manager/ Technical Manager • Field Laboratory Analyst
66.	Mazingira Ltd Vision Plaza, 1 st Floor Suite 21 Mombasa Road P.O Box 1674-00100,Nairobi Tel: +254205100359, 0722366165 Email: info@mazingiralimited.co.ke	Assessment/ analysis of: <ul style="list-style-type: none"> • Air Quality • Noise Level Measurement 	<ul style="list-style-type: none"> • Particulate Matter • Gases 	<ul style="list-style-type: none"> • Managing Consultant • Operations Director • Technical Manager

67.	<p>Quantum Industries Laboratories 1st Floor, Room 26, Epren Centre, Mumias South Road, Buruburu, P.O Box 8760-00300, Tel: +2540202300782 +254777656003 NAIROBI Email: quantumconsult16@gmail.com quantumconsult@yahoo.com</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Water Quality • Air Quality • Noise Level Measurement 	<ul style="list-style-type: none"> • Physical • Chemical • Ambient Air Quality • Indoor Air Quality 	<ul style="list-style-type: none"> • Director • Quality Control Manager
72.	<p>Airsense Environmental Lab Limited 6th Floor, Room 6C, Lakeoil Plaza, Along Lungalunga Road, P.O Box 15225-00400, Tel: +254717207408, +254711676097 NAIROBI Email: info@airsense.co.ke</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Air Quality • Noise Level Measurements 	<ul style="list-style-type: none"> • Ambient Air Quality • Stack Emissions • Indoor Air Quality 	<ul style="list-style-type: none"> • Managing Director • Technical Manager
73.	<p>Kridha Ltd Laboratory Off Old Enterprise Road, Industrial Area, P.O Box 17777-00500 Tel: +254202072233/ 20 3546665 Mobile: +254732202041/+2547278027 41 NAIROBI Email: lab@kridha.com, sales@kridha.com</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Laboratory/ Quality Manager • Quality Control Manager
74.	<p>Twiga Chemicals Industries Ltd, Central Laboratory Nanyuki Road, Industrial Area, P.O Box 30172-00100 Tel: 0203942000 NAIROBI Email: info@twiga-chem.com</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Laboratory Head • Laboratory Analyst

75.	<p>Imara Analytical Laboratory Along Kericho-Kisumu Highway, P.O. Box 1555-20200 KERICHO. Location: Kericho. Email: sales@imaralab.com Tel: 0736351633/0793997478</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water Quality/Effluent • Soil Analysis 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Technical Manager • Quality Manager
76.	<p>Jomo Kenyatta University of Agriculture and Technology, Department of Mechanical Engineering, Thermodynamic Laboratory P.O Box 62000-00200 Tel: (067)52711,52181 ext 2337, 3113 NAIROBI mechanical@eng.jkuat.ac.ke</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Air Quality 	<ul style="list-style-type: none"> • Gases • Ambient Air Quality 	<p>Chairman of Mechanical Department, JKUAT</p>
77.	<p>Greenworld Ecolab 2nd Floor, Suite 201, Mustard Building, ACK St. Peter's Church, Along Waiyaki Way, Uthiru P.O. Box 333-00600 NAIROBI. Location: Nairobi greenworldeco@gmail.com Tel: 0720760209</p>	<p>Assessment/ Measurement of:</p> <ul style="list-style-type: none"> • Air Quality Analysis 	<ul style="list-style-type: none"> • Stack Emissions-Gases and Particulate Matter • Ambient Air 	<ul style="list-style-type: none"> • Managing Director
78.	<p>Skytec Limited Jogoo Road, Uchumi House, Suite B5 P.O. Box 38799-00200, NAIROBI Location: Nairobi info@skyteclimited.com Tel: 0731919999/0715953525</p>	<p>Assessment/ Measurement of:</p> <ul style="list-style-type: none"> • Effluent 	<ul style="list-style-type: none"> • Chemical • Physical • Microbial 	<ul style="list-style-type: none"> • Managing Director • Deputy Director
79.	<p>Zonal Laboratory Limited, Tom Mboya Street P.O. Box 85177-80100 MOMBASA. Location: Mombasa Email:info@zonal-lab.com Tel: 0704376713</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent • Air quality • noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial • Stack emission • Ambient Air • Noise level 	<ul style="list-style-type: none"> • Director • Technical Manager

80.	Lahvens Limited Laboratory Lahvens House, P.O. Box 34153-80118 MOMBASA. Location: Mombasa Tel: +254020609013/27 +254110093237 Email:lahvens@lahvens.com info@lahvens.com	Assessment/ Measurement of: <ul style="list-style-type: none"> • Noise Levels • Vibrations • Air Quality • Soil Sampling • Water Sampling 	<ul style="list-style-type: none"> • Noise level • Vibration • Stack Emission • Ambient Air • Physical 	<ul style="list-style-type: none"> • Laboratory Director
81.	Precise Science LTD Buruburu Arcade Building, 2nd Floor, Suit No. 10 P.O. Box 57199-00200 NAIROBI. Location: Nairobi	Assessment/ analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial 	<ul style="list-style-type: none"> • Managing Director • Technical Manager • Quality Control Manager.
82.	CSI International Limited Howse & McGeorge Centre. Building No. 10, Factory Street, Industrial Area. P.O. Box 47864-00100 NAIROBI. Location: Nairobi Tel: 0102897647, 0712603528, 0725692535	Assessment/ analysis of: <ul style="list-style-type: none"> • Water • Effluent • Air quality • Soil Analysis • Noise Level 	<ul style="list-style-type: none"> • Physical • Chemical • Microbial • Noise Level • Stack Emission i.e. gasses and particulate matter • Ambient Air 	<ul style="list-style-type: none"> • Head of Laboratory • Quality Assurance Manager • Laboratory Manager
83.	Besure Labs East Africa Limited. Next to Senior Suites, Transview, P.O. Box 22789-00400, NAIROBI. Location: Athi River info@besurelabsafrica.com Tel: 0746284513	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality 	<ul style="list-style-type: none"> • Stack Emission i.e. gasses and Total particulate matter 	<ul style="list-style-type: none"> • Director. • Technical Manager
84.	Senior Environmental And Engineering Ltd Afraa Building –Ground Floor, Red Cross Off Popo Road, P O Box 48890-00100 Nairobi walter@seniorenv.com +254726856602,+254716856602	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality • Noise 	<ul style="list-style-type: none"> • Ambient air quality • Stack Emission • Total particulate matter • Noise level 	<ul style="list-style-type: none"> • Director. • Technical Manager
85.	Aquacheck laboratories limited P.O Box 216-00300, Westlands commercial Center,	<ul style="list-style-type: none"> • Assessment/analysis of: Water/effluent analysis 	<ul style="list-style-type: none"> • Physical, • Chemical • Microbial (E. coli and Coliform). 	<ul style="list-style-type: none"> • Laboratory Analyst

	Ring Road, <u>NAIROBI</u>			
86.	Clarity standards laboratory P.o box 216-00300, The real park, bandari road, Industrial area, <u>NAIROBI</u>	Assessment/ analysis of: <ul style="list-style-type: none"> • Water/effluent analysis 	<ul style="list-style-type: none"> • Physical, • Chemical • Elemental • Microbial (E. coli and Coliform). 	<ul style="list-style-type: none"> • Laboratory Head • Analyst
87.	Kenya marine and fisheries (KEMFRI) research institute P.O BOX 81651-80100, <u>MOMBASA.</u>	Assessment/ analysis of: <ul style="list-style-type: none"> • Water/effluent analysis • Soil/Sediment 	<ul style="list-style-type: none"> • Physical, • Chemical • Microbial • Physical, • Chemical • Elemental. 	<ul style="list-style-type: none"> • Laboratory Analyst.
88	Ecoprime Services Limited P.O Box 86105-00200 Nairobi Kugeria Court, Ralphe Bunche Road. Tel. +254729030555	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality • Noise 	<ul style="list-style-type: none"> • Stack emissions (pm) and Ambient Air • Noise level 	<ul style="list-style-type: none"> • Laboratory Analyst.
89	Melop Limited P.O Box 56532-00200, Nairobi Email: Melvin@meloplimited.com Tel: +254721494096	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality 	Air quality analysis (Gases emission only)	<ul style="list-style-type: none"> • Laboratory Analyst.
90	Ambiental Laboratory Limited Mobile No +254712603528 Telephone No 254758917096 Email info@ambientallabs.com Postal Address 74286 Postal Code 00200,City Square Physical Address Josem Trust House, Bunyala	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality • Noise 	<ul style="list-style-type: none"> • Stack Emission-Gases • Ambient Air • Noise Levels monitoring 	<ul style="list-style-type: none"> • Laboratory Analyst. • Senior Laboratory Analyst. • Laboratory Analyst.
91	TROPOSPACE CONSULTANCY LIMITED Mobile No +0721164145 Telephone No 721164145 Email info@tropospace.com Postal Address 15225 Postal Code00400, Tom Mboya Physical	Assessment/ analysis of: <ul style="list-style-type: none"> • Air quality • Noise measurements 	<ul style="list-style-type: none"> • Stack Emissions (gasses) • Noise Levels 	<ul style="list-style-type: none"> • Laboratory Analyst. • Senior Laboratory Analyst. • Laboratory Analyst.

<p>92</p>	<p>Skyside Environmental Ltd. Mobile No +254734729676 Telephone No 254734729676 Email sam@skyside.ke Postal Address 9599 Postal Code 00100, Nairobi Physical Address Uzima Court Utawala County Machakos Sub-County Mavoko</p>	<p>Assessment/ analysis of:</p> <ul style="list-style-type: none"> • Air quality • Noise level Measurements 	<ul style="list-style-type: none"> • Stack Emissions Testing (Pm and Gases) • Ambient Air quality • Passive sampling • Noise 	<ul style="list-style-type: none"> • Laboratory Analyst
------------------	--	---	--	--